شرويات 3 A SIMPLE AND POWERPUL CCTV SURVEILLANCE SYSTEM FOR RETAIL SHOPS

2MP OUTDOOR/INDOOR IP CCTV SURVEILLANCE KIT (4CH/8CH) NVR

PLUG & LOW WEATHER MOTION PLAY MAINTENANCE PROOF DETECTION

VNS H.265 compact POE NVR is a truly convenient plugand-play NVR featured 4 independent PoE Ports for easy connection and configuration of network cameras, which eliminates unwanted complexity and simplifies the overall installation process while employs the latest H.265 technologies. H.265/H.265 compact PoE NVR - VNS 8-CH H.265 compact PoE
NVR features 4 independent PoE ports for easy
Power/connection and remainder of network cameras
connected to a separate PoE switch, completing setup of
streaming video/audio/- Data. The NVR will automatically
detect, configure and play the live view of the Network cameras
once the cable is plugged, greatly eliminating the need for
much time and Expertise and achieving a virtually hassle-free
installation process.



IR Advance Dome Camera



4 Ch NVR

CCTV KIT KEY FEATURES

4 CHANNEL CAMERA KIT (COMPACT NVR + 4 POE CAMERAS)



Plug and Play, camera connected to NVR without any Pre-setup. ONLY power-up & images shows up



Low Operation and Maintenance for extended working life.




Fitted with weatherproof housing for extreme GCC climate.





Built-in Smart Motion Detection for efficient recording and alarm management.













ADVANCE BULLET CAMERA INDOOR & OUTDOOR

Consumer-level network camera with mini-sized and exquisite design, deliver outstanding image quality.



0.001Lux Ultra Low-light

The starlight camera is able to deliver high detailed color images even in the low light environments reaching 0.001Lux (Color) or 0Lux (B/W), and near infrared light environments without any supplementary lighting.



Professional-level Video Quality

The availability of low-light lens and optional motorized zoom lens enables the Mini Bullet Network Camera to offer professional-level video quality which is suitable for applications requiring high light sensitivity or long distance surveillance.



Waterproofing Design

For easy management and waterproofing, the camera is also equipped with a mounting bracket that conceals the cable within, offering a well-rounded protection of the cable from any water, dust, or shock damages.



Easily Adjustable 3-Axis Bracket

The Mini Bullet Network Camera is easy to install on a wall or ceiling. It features 3-axis bracket which provides a robust mounting platform for tidy installation and camera angle adjustments on a 3-axis plane.



Digital WDR

VNS circuit integrated WDR technology allows the camera to record greater scene details with true color reproduction even under the extreme back light and high contrast conditions. The ratio that the brightest light signal values divided by the darkest light signal.

Unique Sunshield Design

This stylishly designed Mini Bullet Network Camera has a unique outdoor housing sunshield that almost encircles the camera body, which effectively blocks the sun from entering the lens path and offers great thermal insulation.

Built-in PoE Module

VNS Mini Bullet Network Camera incorporates IEEE 802.3af Power over Ethernet technology, which eases installation by providing power and networking connectivity with a single cable, eliminating the need for additional power cables and reduces installation costs.



KEY FEATURES

- 2MP Fixed Bullet
- 1920 x 1080:30fps
- 265+ Vcom/H.264
- Triple Stream
- Fixed Lens (4mm)
- 30m IR Range
- PoE
- IP67

H.265

HEVC

**

30W *4*

Onvif

Profile S





ADVANCE DOME CAMERA INDOOR & OUTDOOR

Consumer-level network camera with mini-sized and exquisite design, deliver outstanding image quality.



0.001LUX Ultra Low-light

The starlight camera is able to deliver high detailed color images even in the low light environments reaching 0.002Lux (Color) or 0Lux (B/W), and near infrared light environments without any supplementary lighting.




Easy Installation & Adjustment

With a built-in RJ45 port, PoE functionality and 3-axis mechanical design, the installation steps of VNS IR Mini Dome Camera are as easy as ABC.



Digital WDR

VNS circuit integrated WDR technology allows the camera to record greater scene details with true color reproduction even under the extreme back light and high contrast conditions. The ratio that the brightest light signal values divided by the darkest light signal.



3-AXIS Mechanical Design

VNS IR Mini Dome Camera features 3-axis mechanical design for fast and easy adjustment of the camera's viewing angle, allowing you to position the camera precisely.



KEY FEATURES

- 2MP Fixed Dome
- 1920 x 1080:30fps
- 265+ Vcom/H.264
- Triple Stream
- Fixed Lens (2.8mm)
- 30m IR range
- PoE
- IP67



Onvif Profile S

Sow F

H.265 HEVC

H.265+

**

(*)

H.265 COMPACT POE NVR

VNS H.265 Compact PoE NVR is a truly convenient plug-and-play NVR featured 4 independent PoE Ports for easy connection and configuration of network cameras, which eliminates unwanted complexity and simplifies the overall installation process while employs the latest H.265 technologies. Designed with high compatibility and stability, Perfectly manage ONVIF and third-party IP cameras.

H.265 Compact PoE NVR features 4 independent PoE ports for easy connection and configuration of network cameras, which will provide power to the camera while streaming video/audio/data over one single cable. The NVR will automatically detect, configure and play the live view of the network cameras once the cable is plugged, greatly eliminating the need for much time and expertise and achieving a virtually hassle-free installation process.

The Compact NVR Series offer better performance, especially in the video storage. The video storage up to 4TB and up to 10TB would satisfy different market demands and bring different user experience.

The Compact NVR boasts a revolutionary thermal design. The ventilation holes on rear and bottom panel maximize airflow and carry the heat away easily, ensuring heat transfer under a variety of different load conditions.



HD Video Viewing Experience

VNS H.265 Compact NVR introduces a whole new and smooth operation interface. When direct access to HD network cameras, it can decode HD real-time video and recording to provide users with high-definition video viewing experience.



Revolutionary Thermal Design

The compact NVR boasts a revolutionary thermal design. The ventilation holes on rear and bottom panels maximize airflow and carry the heat away easily, ensuring heat transfer under a variety of different load conditions.



High Decoding Capability

Though it's a compact NVR, the decoding capability reaches professional-level, i.e. 8-CH@1080P.

Versatile Interfaces

Though developed to take up as less space as possible, the Compact PoE NVR comes with a whole array of ports such as an HDMI port, 2 USB ports, 4 PoE ports, and a LAN port.

H.265 Compact PoE NVR includes 1 SATA interface, providing up to 10TB of plug-andplay internal hard disk storage.



KEY FEATURES

- 4/8 Channels
- 1 SATA Interface
- 265+ Vcom
- 4 PoE
- Plug and Play
- HDMI/VGA



 \geq

-

H.265 HEVC



VIDEO MANAGEMENT SOFTWARE LITE

Live View · Recording · E-Map, OS: Windows 10/8/7/XP/Vista/Server 2008/Server 2003

VNS VMS Lite (ONVIF compliant), is a handy and reliable application designed to work with IP cameras in order to provide video surveillance, recording settings and event management functions. With VNS VMS Lite you don't need additional equipment. The interface of VNS VMS Lite is very easy to use, intuitive, with easy access to the most common activities, such as viewing live video, searching through recordings and exporting videos and snapshots. It's able to integrate with other devices through ONVIF and you can connect up to 64 cameras.

Key Features

- Support ONVIF
- Support PTZ operation
- Support P2P connection way without ports forwarding
- Support pre-record for motion detection
- Support custom time length for schedule record
- Support live view, playback and E-Map functions
- Support motion detection, alarm recording and image capture function
- Support H.265/H.264/MJPEG/MPEG-4 video compression
- Support real-time video/event alarm display
- Support 1/4/6/8/924/30/36/49/64 Channel Camera Surveillance
- The original screen size can be adjusted to screen ratio of 16:9 and 4:3
- Patrol mode for single or multiple views





THANK YOU